

Web Groups News Froogle Local more » Images

bucket distribution range key site:citeseer.ist.p

Advanced Search Preferences

Web Results 1 - 59 of about 60 from citeseer.ist.psu.edu for bucket distribution range key. (0.33 seconds)

Spatial Data Reallocation Based on Multidimensional Range Queries ... Thus far, our findings indicate that although the k Bucket is not the most efficient under ... Processing Incremental Multidimensional Range Queries in a citeseer.ist.psu.edu/hinterberger94spatial.html - 22k - Cached - Similar pages

Citations: Universality of serial histograms - loannidis ... Histograms capture attribute value distribution statistics in a space efficient range histograms, and solves a key open problem in this area. 1. ... citeseer.ist.psu.edu/context/15784/0 - 34k - Cached - Similar pages

Citations: Disk Allocation Methods Using Error Correcting Codes ... Then it traverses the buckets in the order assigning each bucket to a ... for key range queries at the expense of poor performance for time range queries. ... citeseer.ist.psu.edu/context/404481/0 - 38k - Cached - Similar pages

Citations: Optimal histograms for limiting worst-case errorrange histograms, and solves a key open problem in this area. 1. ... In serial histograms, attribute values assigned to the same bucket need not be ... citeseer.ist.psu.edu/context/15782/0 - 41k - Cached - Similar pages

Citations: Gray codes for partial match and range queries ... Geometric Range Searching and Its Relatives 13 Faloutsos [117] suggested ... For example, bucket (3,0) is assigned to page 3 of disk 3 whereas bucket (0,3) ... citeseer.ist.psu.edu/context/16270/0 - 34k - Cached - Similar pages

Citations: Graphical Methods in Data Analysis - Chambers ... The first is the matching of the distribution of the frame bit rates. ... The policing is carried out for a discrete range of drain rates and bucket sizes. ... citeseer.ist.psu.edu/context/126475/0 - 29k - Cached - Similar pages

Citations: Gamma: A high performance dataflow database machine with a user specified key value, and range assuming a uniform distribution. ... The range partitioning [4] divides key values into ranges and different ... citeseer.ist.psu.edu/context/113707/396920 - 34k - Cached - Similar pages

Citations: Accurate estimation of the number of tuples satisfying values within the range corresponding to a given bucket occur with equal probability. ... Estimation of Query-Result Distribution and its Application citeseer.ist.psu.edu/context/15825/0 - 38k - Cached - Similar pages

Citations: Characterizing the Variability of Arrival Processes ... Molnár, Miklós (Correct)that distribution. However, in practice the peak to ... The Leaky bucket system has been modelled as a QBD system in [42] and ... citeseer.ist.psu.edu/context/207503/0 - 35k - Cached - Similar pages

Citations: Contributions Toward Real-Time Services on Packet ... In this experiment we vary fi 1 (the leaky bucket burst parameter of M 1 ... Recent research has determined another key characteristic: the presence of ... citeseer.ist.psu.edu/context/40571/0 - 35k - Cached - Similar pages

Citations: Nonserial Dynamic Programming - Bertele, Brioschi ...

The second key computational step is a projection of a vector into the linear ... Bucket elimination (BE) is a unifying algorithmic framework for dynamic ... citeseer.ist.psu.edu/context/144892/0 - 34k - Cached - Similar pages

Citations: of Computer and System Sciences - Carter, Wegman ...

Bucket Hashing and its Application to Fast Message Authentication - Rogaway ...

A distribution H of functions from I to Im is ffi almost 2 universal if for ...

citeseer.ist.psu.edu/context/97673/0 - 39k - Cached - Similar pages

Citations: AlphaSort: A RISC Machine Sort - Nyberg, Barclay ...
With a uniform distribution each processor s bucket is assured to be NKP size.
... For keys of moderate size, it might be more efficient to use a key sort, ...
citeseer.ist.psu.edu/context/23133/0 - 62k - Cached - Similar pages

Citations: High-performance sorting on networks of workstations ...

The distribution of the key values is assumed to be uniform, ... The sorted output file is range partitioned across the node such that the lowest valued ... citeseer.ist.psu.edu/context/61820/0 - 42k - Cached - Similar pages

Citations: A Taxonomy and Performance Model of Data Skew Effects ... When this disparity becomes large, the **bucket** no longer fits in main memory and ... To handle the skew in the **distribution** of the workload, several load ... citeseer.ist.psu.edu/context/42461/0 - 64k - Cached - Similar pages

Citations: Propagating uncertainty in bayesian networks by ...
In the gure, the distribution of the I th generation is represented by pl ...
For individual selection range based selection is proposed, ie selecting the ...
citeseer.ist.psu.edu/context/58190/0 - 57k - Cached - Similar pages

<u>Citations: Probabilistic optimization of top N queries ...</u>
This extra number is kept in each histogram **bucket**, and is computed during ...
The problem of approximating multi dimensional **range** queries is also relevant ...
citeseer.ist.psu.edu/context/966667/0 - 35k - <u>Cached</u> - <u>Similar pages</u>

Citations: The Buddy-Tree: An Efficient and Robust Access Method ...
7] Considering set membership of the entries as one **key** dimension, ... Therefore, the **distribution** of the transformed objects is skewed with high ... citeseer.ist.psu.edu/context/203458/0 - 44k - Cached - Similar pages

Citations: Models for packet switching of variable-bit-rate video ... We model the eect of the token **bucket** on the video trac by assigning a ... with realistic models of tra#c, the **distribution** of the bu#er content in the ... citeseer.ist.psu.edu/context/24553/0 - 34k - Cached - Similar pages

Encryption [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...

188.4 Provably Secure Session Key Distribution - The Three Party Case - Bellare, ... 123.4 Bucket Hashing and its Application to Fast Message Authentication ... citeseer.ist.psu.edu/Security/Encryption/expected.html - 111k - Cached - Similar pages

Hashing [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
It plays a key role in image understanding. Geometric hashing has been ...
The records are grouped into buckets of capacity b records per bucket and ...
citeseer.ist.psu.edu/ SoftwareEngineering/DataStructures/Hashing/ - 102k - Cached - Similar pages

Citations: A Calculus for Network Delay and a Note on Topologies ...
... not always be available, an approximate distribution is usually ... On Long Range Dependence and Token Buckets - Procissi, Gerla ... AND THE LEAKY BUCKET REGULATOR A ... citeseer.ist.psu.edu/context/68815/0 - 14k - Supplemental Result - Cached - Similar pages

Citations: An Engineering Approach to Computer Networking - Keshav ... We draw the call durations according to an exponential distribution with a mean of 3. ... Token Bucket Characterization of Long-Range Dependent. ... citeseer.ist.psu.edu/context/115928/0 - 44k - Cached - Similar pages

Citations: Control of Resources in Broadband Networks with Quality ...
Further work in [Hyman93] proposed a mechanism for distribution of ... Monitoring the behavior of distributed systems is a key requirement for the N plane ...
citeseer.ist.psu.edu/context/8188/0 - 37k - Cached - Similar pages

Citations: Advanced Interactive Visualization for CFD - Giles ...

16, 1, 8] Range based methods can be considered part of the space partition group of ... Due to the lack of ordering between the intervals of each **bucket**, ... citeseer.ist.psu.edu/context/34460/0 - 39k - Cached - Similar pages

Encryption [CiteSeer, NEC Research Institute; Steve Lawrence, Kurt ... 29 Bucket Hashing and its Application to Fast Message Authentication - Rogaway ... with key distribution as well as encryption a shared secret key generated ... citeseer.ist.psu.edu/Security/Encryption/ - 111k - Cached - Similar pages

<u>Citations: A Guide to Simulation - Bratley, Fox, Schrage ...</u>

For instance, we can now specify a probability **distribution** over ... Keywords: random number generator, random variate, alias, **bucket**, rejection, ... citeseer.ist.psu.edu/context/23735/0 - 57k - <u>Cached</u> - <u>Similar pages</u>

Citations: On supporting containment queries in relational ...
When an equi join is performed over non key attributes, intrinsic skew is ...
Our distribution scheme employs the same core index structures as other, ...
citeseer.ist.psu.edu/context/1611085/415602 - 54k - Cached - Similar pages

[PS] Near Neighbor Search in Large Metric Spaces Sergey Brin \Lambda ... File Format: Adobe PostScript - View as Text

Every data type above has some degree of correlation in its distribution. ... range of the search [FS82] or if preprocessing is not allowed and only ... citeseer.ist.psu.edu/rd/0,118633,1,0.25,Download/ http:qSqqSqwww-db.stanford.eduqSqpubqSqpapersqSqnear.ps - Similar pages

Citations: An Admission Control Algorithm for Predictive Real-Time ... but not enough to implement the full token **bucket** scheme. ... based admission control will play a **key** role in achieving high network utilizations. ... citeseer.ist.psu.edu/context/20051/0 - 67k - Cached - Similar pages

Citations: ACM Transactions on Database Systems - Litwin, Neimat ... In a system with thousands of clients, a small, simple distribution ... A server stores a part of the data, called a bucket, and receives data access ... citeseer.ist.psu.edu/context/315456/0 - 27k - Cached - Similar pages

Citations: Wide area traffic: the failure of poisson modelling ...
... AG, Science Publishers Figure 1. The leaky bucket scheme ... 3 Gammaff 2. If the file size distribution has finite ... of scale invariance or long range dependence (LRD ... citeseer.ist.psu.edu/context/271399/0 - 38k - Supplemental Result - Cached - Similar pages

Citations: The Warwick Framework: A container architecture for ... Bucket like Projects Buckets are most similar to the digital objects first ... Our consideration of the range of metadata utilized in digital library ... citeseer.ist.psu.edu/context/240055/0 - 35k - Cached - Similar pages

Citations: Preliminary Simulation Evaluation of an Assured Service ...
... on these conditions, for the achievable range of rates ... arbitrary rate by increasing the token bucket parameters ... are also critical for the distribution of excess ... citeseer.ist.psu.edu/context/156257/0 - 54k - Supplemental Result - Cached - Similar pages

Citations: Models of random regular graphs - Wormald (ResearchIndex) ... n, with d points in each bucket, and choose uniformly at random a pairing P ... to provide a range of results for random regular graphs of high degree, ... citeseer.ist.psu.edu/context/1022032/0 - 29k - Cached - Similar pages

Sorting [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...

Sort Key Sort Local Sorting Algorithms Database Select ... The problem of sorting n integers from a restricted range [1::m], where m is superpolynomial in n ... citeseer.ist.psu.edu/ SoftwareEngineering/DataStructures/Sorting/ - 103k - Cached - Similar pages

Citations: A Case for Redundant Arrays of Inexpensive Disks ...

The schema supports any single **bucket** (server site) unavailability. ... A search involving only the **key** and A (S) requires access to S only. ... citeseer.ist.psu.edu/cs?q=dbnum%3D1%2CGID%3D903%2CDID%3D0%2Cstart%3D50%2Ccluster%3Dnone% 2Cqtype%3Dcontext: - 37k - <u>Cached</u> - <u>Similar pages</u>

Security [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
75 Internet Security Association and Key Management Protocol (ISAKMP) - Maughan, ... 29 Bucket Hashing and its Application to Fast Message Authentication ...
citeseer.ist.psu.edu/Security/ - 124k - Cached - Similar pages

ATM [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ... Like Decbit Tcp-Ecn Atm Abr Explicit-Rate Control br of a range of ... The rate controller supports multiple priorities, and dual leaky bucket (GCRA) trac ... citeseer.ist.psu.edu/Networking/ATM/date.html - 124k - Cached - Similar pages

Citations: Performance models of statistical multiplexing in modeling of traffic subject to shaping (eg leaky bucket based regulation) or throttle The key parameters of the model are: 8781 . 0 = a , 1108 citeseer.ist.psu.edu/context/12408/0 - 31k - Cached - Similar pages

Citations: Congestion Control in Computer Networks - Keshav ...

A key di erence between these techniques and ours is that while packet pairs aim at ... Extract Token Value Token Bucket Shaper Parameters remote host. ...

citeseer.ist.psu.edu/context/4943/0 - 72k - Cached - Similar pages

Hardware [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ... We are interested in br successfully to a wide range of hardware systems. ... A key design featur... / This is achieved with simple hardware that has short ... citeseer.ist.psu.edu/Hardware/ - 134k - Cached - Similar pages

Hardware [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ... We are interested in br successfully to a wide range of hardware systems. ... Reactivity is one of the key features of hardware description languages. ... citeseer.ist.psu.edu/Hardware/expected.html - 135k - Cached - Similar pages

ATM [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ... networking technology eg ATM and are supported by a range of br performance ratio ... and asynchronous transfer mode ATM exhibit two key limitations that br ... citeseer.ist.psu.edu/Networking/ATM/expected.html - 114k - Cached - Similar pages

Theory [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...

techniques General terms Theory Verification Additional **Key** br Notes Note 29 **Bucket** Hashing and its Application to Fast Message Authentication ... citeseer.ist.psu.edu/Theory/ - 135k - <u>Cached</u> - <u>Similar pages</u>

Jeff Vitter's Recent Papers

Our algorithms are optimal for a wide range of two-level and hierarchical ...

Our results are built on four fundamental techniques: distribution sweeping, ...

citeseer.ist.psu.edu/.../http:qSqqSqwww. cs.duke.eduqSq~jsvqSqPapersqSqcatalogcollapsed.html - 230k - Cached - Similar pages

Citations: Infomaster: An information integration system ...
The key advantages of the Inverse Rules algorithm are the ability to handle ...
However, no representation that allows the distribution of knowledge over ...
citeseer.ist.psu.edu/context/182238/324184 - 54k - Cached - Similar pages

Citations: PARIS: An approach to integrated high-speed private ...
... of considered models is a simple leaky bucket example (as ... Distribution of the Loss Period for Some Queues in.. ... it extremely robust over a wide range of traffic ... citeseer.ist.psu.edu/context/84091/0 - 72k - Supplemental Result - Cached - Similar pages

<u>Digital Libraries [CiteSeer; NEC Research Institute; Steve ...</u>

Application elds of alerting services **range** from digital libraries unknown How ... A **Bucket** Architecture for the Open Video Project - Nelson, Marchionini, ... citeseer.ist.psu.edu/InformationRetrieval/ DigitalLibraries/date.html - 117k - <u>Cached - Similar pages</u>

<u>Citations: and reacting based on approximating dynamic programming ...</u>

The planning method is refined by using a Boltzmann **distribution** with ... The **key** idea in Dyna is that one can perform the computational steps of a DP ... citeseer.ist.psu.edu/context/16003/0 - 76k - <u>Cached</u> - <u>Similar pages</u>

ATM [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ... networking technology eg ATM and are supported by a range of br performance ratio have improving ... Two key concepts are explored in this study. Fir. ... citeseer.ist.psu.edu/Networking/ATM/ - 118k - Cached - Similar pages

Citations: Performance Evaluation and Design of Multiservice ...
... cell loss probabilities are in the range 10 Gamma6 ... The distribution of the queueing delay is considered to ... In particular, the Leaky Bucket regulator [17, 15, 3 ... citeseer.ist.psu.edu/context/187059/0 - 62k - Supplemental Result - Cached - Similar pages

ATM [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
1993.6 A Scalable Architecture for Fair Leaky-Bucket Shaping - Rexford, Bonomi, ... A public key cipher... / ATM Cell based Security Implementation br ...
citeseer.ist.psu.edu/Networking/ATM/hubs.html - 135k - Cached - Similar pages

Citations: Adapting operator probabilities in genetic algorithms ...
... turns out to be unfavorable in the worse tness range. ... 48] or even more directly,
the distribution of the ... en utilisant un algorithme de type bucket brigade pour ...
citeseer.ist.psu.edu/context/11373/0 - 72k - Supplemental Result - Cached - Similar pages

Citations: Convex hulls of finite sets of points in two and three ...

Key words. computational geometry, convex polytopes, lower bounds, decision trees, ... Random Sampling, Halfspace Range Reporting, and Construction of. ...

citeseer.ist.psu.edu/context/27294/0 - 32k - Cached - Similar pages

<u>Citations: Information Technology - Generic Coding of Moving ...</u>
... the decoder must operate within a frequency range of 27 ... block (from [3] 34 4.1 Token bucket shaper. ... Video: A Novel Approach To Video Distribution - Najafi, Leon ...

Google Search: bucket distribution range key site:citeseer.ist.psu.edu

citeseer.ist.psu.edu/context/121800/0 - 49k - Supplemental Result - Cached - Similar pages

Citations: Multiple-way network partitioning - Sanchis ...
... partitioners a capability to explore wider range of solution ... 2 3 Blk 1 Blk 0 Bucket
Gain Move ... These methods centralize the computation and distribution of new ...
citeseer.ist.psu.edu/context/7620/0 - 66k - Supplemental Result - Cached - Similar pages

[PS] Learning to Act using Real-Time Dynamic Programming \Lambda Andrew ...

File Format: Adobe PostScript - View as Text

The **key** issue addressed by DP-based learning is the tradeoff between short-... As observations accumulate, this **distribution** is revised via Bayes' rule. ... citeseer.ist.psu.edu/.../ barto95learning.ps - <u>Similar pages</u>

[PS] A Quality of Service Architecture Andrew T. Campbell Computing ...

File Format: Adobe PostScript - View as Text

Because of the increased range and complexity of QoS provision required by the emerging ... This is a bucket size parameter for a leaky bucket algorithm. ... citeseer.ist.psu.edu/.../ campbell96quality.ps - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 59 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google - | 3 377 blocked 😽 Chec | k - 、AutoLink - [] AutoFill |
|----------|----------------------------|-----------------------------|
| | | |
| | nge key site:citi Sear | |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+bucket +distribution +range +key +sample

HE ACM DIGITAL LIBRAR

Feedback Report a problem Satisfaction survey

Terms used bucket distribution range key sample

Found 488 of 155,867

Try an Advanced Search Sort results Save results to a Binder relevance Try this search in The ACM Guide by ? Search Tips Display condensed form Open results in a new results window

Results 1 - 20 of 200

Best 200 shown

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale 🔲 📟 📟 🚾

Internet applications: Load balancing and locality in range-queriable data structures James Aspnes, Jonathan Kirsch, Arvind Krishnamurthy July 2004 Proceedings of the twenty-third annual ACM symposium on Principles of

distributed computing Full text available: 📆 pdf(236.00 KB) Additional Information: full citation, abstract, references, index terms

Query evaluation techniques for large databases

Goetz Graefe June 1993 ACM Computing Surveys (CSUR), Volume 25 Issue 2

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(9.37 MB)

terms, review

Fast deterministic approximate and exact parallel sorting Torben Hagerup, Rajeev Raman

Order-preserving key transformations

August 1993 Proceedings of the fifth annual ACM symposium on Parallel algorithms and architectures

Full text available: pdf(1,33 MB) Additional Information: full citation, references, citings, index terms

Anil K. Garg, C. C. Gotlieb June 1986 ACM Transactions on Database Systems (TODS), Volume 11 Issue 2

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(1.22 MB)

terms, review

On randomization in sequential and distributed algorithms Rajiv Gupta, Scott A. Smolka, Shaji Bhaskar


March 1994 ACM Computing Surveys (CSUR), Volume 26 Issue 1

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(8.01 MB) terms

Improved histograms for selectivity estimation of range predicates Viswanath Poosala, Peter J. Haas, Yannis E. Ioannidis, Eugene J. Shekita June 1996 ACM SIGMOD Record, Proceedings of the 1996 ACM SIGMOD international conference on Management of data, Volume 25 Issue 2

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(1.35 MB) terms

Random sampling for histogram construction: how much is enough? Surajit Chaudhuri, Rajeev Motwani, Vivek Narasayya June 1998 ACM SIGMOD Record, Proceedings of the 1998 ACM SIGMOD international



Full text available: pdf(2.94 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

17 Fast incremental maintenance of approximate histograms

Phillip B. Gibbons, Yossi Matias, Viswanath Poosala

September 2002 ACM Transactions on Database Systems (TODS), Volume 27 Issue 3

Full text available: pdf(472.82 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

18 Evaluating holistic aggregators efficiently for very large datasets

Lixin Fu, Sanguthevar Rajasekaran

May 2004 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 13 Issue 2

Full text available: pdf(312.34 KB) Additional Information: full citation, abstract, index terms

19 On the development of a site selection optimizer for distributed and parallel database systems

Fotis Barlos, Ophir Frieder

December 1993 Proceedings of the second international conference on Information and knowledge management

Full text available: pdf(1.11 MB)

Additional Information: full citation, references, index terms

20 Research sessions: statistics: Effective use of block-level sampling in statistics estimation

Surajit Chaudhuri, Gautam Das, Utkarsh Srivastava

June 2004 Proceedings of the 2004 ACM SIGMOD international conference on Management of data

Full text available: pdf(415.81 KB) Additional Information: full citation, abstract, references

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player